

03Co
#3



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant: Storkan et al. Attorney Docket #: 17697-11
Serial No.: 09/736,629 Group No.: 1772
Filing Date: December 13, 2000 Examiner: Unassigned
Title: **EMULSIFIED SOIL BIOCIDES USED IN DRIP IRRIGATION SYSTEMS**

Assistant Commissioner for Patents
Washington, D.C. 20231

TRANSMITTAL

- ☒ Transmitted herewith are the following documents.
- ☒ Copy of Notice to File Corrected Application Papers;
- ☒ Twenty (20) sheets of formal drawings.
- ☒ The Commissioner is authorized to charge any required fees, or credit any overpayment to Deposit Account No. 02-3964.
- ☒ Attached is a postcard for date-stamped return as confirmation of receipt of these materials.

Date: April __, 2001



Claude A. S. Hamrick
Reg. No. 22,586


OPPENHEIMER WOLFF & DONNELLY LLP

1400 Page Mill Road
Palo Alto, CA 94304
Tel: (650) 320-4000
Fax: (650) 320-4100

CERTIFICATE OF MAILING (37 CFR 1.10(a))

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited on April 13, 2001, with the U.S. Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C., 20231.

Date: April 13, 2001



Cheryl Ann Rogers



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D C 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/736,629	12/13/2000	Dean C. Storkan	17697-11

CONFIRMATION NO. 8021

FORMALITIES LETTER



OC000000005786332

Michael K. Bosworth, Esq.
OPPENHEIMER WOLFF & DONNELLY LLP
1400 Page Mill Road
Palo Alto, CA 94304

Date Mailed: 02/21/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09/736,629